



2021 Catalogue



GARTNER

GARTNER RETAIL GROUP DOO

Dragoslava Srejojića 28 lok.2,34 000 Kragujevac

TEL: 034/331287, MOB,VIBER: 064/8661097

info@gartner.rs

www.gartner.rs





With the key word innovation and quality, BIHUI develops tools for professional installer and strives to focus on the design, manufacture and distribution of tiling and construction tools for safe handling, transportation and cutting of large format tiles as well as installing all kinds of ceramic & porcelain tiles.






PRODUCT CATALOG

LARGE FORMAT TOOLS	4-15
NOTCHED TROWEL	16-19
TILE WASHING SET	20
GROUT FLOAT	21
TILING TOOLS	22-23
KNEE PADS	24
LEVELLING SYSTEM	25-27
TILE SPACER	28
TILE CUTTER	29-30
ANGLE GRINDER	31
LASER LEVEL	32-33
MIXING	34-36
VACUUM CLEANER	37
CONCRETE GRINDER	38
DIAMOND TOOLS	39-53
PROMOTIONAL ITEMS	54
MERCHANDISING	55

LARGE FORMAT TOOLS



Classic Carrier System


- ▲ Max. Capacity: 3.2m x 1.6m
- ▲ Max. Lifting Capacity: **130kg (286 lbs)**
- ▲ 2pcs longitudinal rails with soft grip handles
- ▲ Adjustable length: 1700-3200 mm
- ▲ Includes 4 vacuum suction cup and 6 aluminum suction cup
- ▲ Robust and stable plate for large-format plates





Trade Carrier System

- ▲ Max. Capacity: 3.2m x 1.6m
- ▲ Max. Lifting Capacity: **200Kg (441 lbs)**
- ▲ Includes 8 vacuum suction cup with brass handle
- ▲ Featured with four soft grip handle on the top and four extension handle on the side for extra force
- ▲ Lightweight and easy to transport large format tiles thanks to the adjustable extension bar so to adapt to tiles sizes to handle them






Working Bench

- ▲ A lightweight, robust and stable workbench for large-format tiles, enabling cutting / drilling without risk of damaging the work surface
- ▲ Easily assembled for transport and storage and can be mounted together with additional tables for increased work surfaces
- ▲ Foldable legs and storage hooks for cutting system
- ▲ Height: 800mm
- ▲ Width: 1400mm
- ▲ Length: 1800mm
- ▲ Max. Load: 200kg(441 lbs)
- ▲ Suitable for tile size upto 3.6 x 1.4M after 2 tables joint together





LARGE FORMAT TOOLS

Manual Cutting System

- ▲ Compatible rails with the manual cutting system. **Two systems, One rail**
- ▲ Suitable for cutting tiles size upto 3.2M
- ▲ Rails in size 1.4M and 0.8M for different tile length
- ▲ Cutting depth 6-8mm
- ▲ 1 x Carbide wheel assembled
- ▲ 1 x Spare wheel in box
- ▲ 3 x Aluminium suction cup
- ▲ 2 x F clamp
- ▲ 1 x Breaking clamp
- ▲ 1 x Breacking nipper
- ▲ Packed in plastic case and tool bag





Electric Cutting System

- ▲ Compatible rails with the manual cutting system. **Two systems, One rail**
- ▲ CE approved electric cutting machine, 1,500W, 230V/50Hz, 13,000RPM
- ▲ Suitable for cutting tiles size upto 3,2M
- ▲ Featured with 90degree and 45degree cutting
- ▲ Dry cutting with dust extractor hood and adaptor to the vacuum machine
- ▲ Max. Cutting depth 14mm



Including:

- 2 x Premium cutting blade 125mm
- 3 x Aluminium fixing suction cup
- 2 x F clamp for fixing the rail
- 1 x Rubber adaptor.
- Packed in plastic case and storage tool bag





Transport Cart

- ▲ The ideal solution to move large format slabs of porcelain stoneware in the warehouse, places of installation offering a work area to apply the adhesive
- ▲ Thanks to the four rubber castors (lockable) positioned on each corner, superb control of movement and direction is created plus they make it extremely stable
- ▲ Max. Load: 280kg(617 lbs)
- ▲ Suitable to display tile size upto 3,2 x 1,6M





PATENTED

Tile Spacer & Level Regulator

- ▲ Ideal for adjust tile gap in horizon from 0,5mm to 40mm
- ▲ Two buttons for adjusting tile level
- ▲ With 2pcs 6 inch vacuum suction cup
- ▲ Light duty and durable structure
- ▲ Ideal for large porcelain or stone tiles and glass



PATENTED

Multi Angle Tile Fixer & Adjuster

- ▲ With vacuum suction cup
- ▲ Work for 90° & 180° & 270° alignment and tile gap adjustment
- ▲ Two buttons for adjusting tile level
- ▲ Light duty and durable structure
- ▲ Ideal for handling with porcelain or stone tiles and glass



PATENTED

Interchangeable Tile Spacer Regulator

- ▲ Ideal for adjust tile gap in horizon from 0,5mm to 40mm
- ▲ Two buttons for adjusting tile level
- ▲ With 2pcs removable 8 inch vacuum suction cup, can be used alone
- ▲ Single 6"/8" vacuum suction cup can max. lifting 100/120Kg
- ▲ Ideal for large porcelain or stone tiles and glass





Vibration Tile Beater

- ▲ Continuously variable speed
- ▲ Powered with lithium-ion battery
- ▲ TPR grip handle for maximum comfort
- ▲ Suction cup with 35kg lifting capacity
- ▲ Designed with spirit level bubble and working light
- ▲ Evenly distribute the adhesive under tiles and big slabs during installation
- ▲ Spare batteries available



BASIC Tile Spacer Regulator

- ▲ Ideal for shortening gaps between tiles
- ▲ Adjustable from 0,5-80mm
- ▲ Maximum horizontal tension up to 1200N
- ▲ 6 x aluminium suction cup can lift upto 150 Kg



PREMIUM Tile Spacer & Level Regulator

- ▲ Designed to shortening gaps between tiles
- ▲ Adjustable from 0,5-40mm
- ▲ Two buttons for adjusting tile level
- ▲ Ideal for handling with porcelain or stone tiles and glass
- ▲ With 2pcs 6 inch vacuum suction pad



Electric Cordless Vacuum Suction Cup

- ▲ The portable, electric battery vacuum suction lifter holds securely and firmly on almost any surface
- ▲ Extremely high suction power (up to max. 170 kg)
- ▲ Perfect for large formats, natural stone, thick terrace slabs, etc.
- ▲ Securely hold even on heavily structured, porous and damp surfaces
- ▲ Continuous working for 1.5 hours
- ▲ Charging time for 2 hours

Includes:

- 1 x Spare rechargeable lithium-ion battery
- 1 x Extra foam rubber seal
- 1 x Interchangeable battery charger(USA,AU,EU)
- 2 x Filter felt
- 1 x User's manual
- 1 x Tool bag



Electric Vacuum Sucker

- ▲ Designed for the professionals, the vacuum-assisted lifting technology transforms the traditional method of heavy lifting
- ▲ Light weight and high vacuum capacity
- ▲ Wide range of application: Lifting for glass, marble, stone material, wood, metal material, etc.
- ▲ Lifetime is at least 3000 hours (Not including quick-wear part)
- ▲ Continuous working for 8.5 hours
- ▲ Voltage: 14.8V
- ▲ Charging Time: 1 Hour
- ▲ Max. Lift: 70kg
- ▲ Set Includes 2 Batteries



8" Vacuum Suction Cup

- ▲ Lifting capacity 120Kg (265lbs)
- ▲ Anti-slip soft grip handle
- ▲ Durable structure and light weight
- ▲ Quick release lever & comfort pump action
- ▲ **Suitable for both smooth and texture surface**
- ▲ Ideal for large porcelain or stone, tiles and glass

NEW



8" Vacuum Suction Cup With Pressure Monitor

- ▲ Lifting capacity 120Kg (265lbs)
- ▲ Anti-slip soft grip handle
- ▲ Durable structure and light weight
- ▲ Quick release lever & comfort pump action
- ▲ **Suitable for both smooth and texture surface**
- ▲ Ideal for large porcelain or stone, tiles and glass

NEW



8" Vacuum Suction Cup

- ▲ Lifting capacity 120Kg (265lbs)
- ▲ Durable multi-level rubber
- ▲ Heavy duty steel handle & brass tube
- ▲ Pump action & quick release lever
- ▲ Ideal for large porcelain or stone, tiles and glass



8" Vacuum Suction Cup With Pressure Monitor

- ▲ Lifting capacity 120Kg (265lbs)
- ▲ Durable multi-level rubber
- ▲ Heavy duty steel handle & brass tube
- ▲ Pump action & quick release lever
- ▲ Ideal for large porcelain or stone, tiles and glass



8" Vacuum Suction Cup

- ▲ Lifting capacity 110Kg (243lbs)
- ▲ Anti-slip plastic handle
- ▲ Pump action & quick release lever
- ▲ Suitable for both smooth and texture surface
- ▲ Ideal for large porcelain or stone, tiles and glass



6" Vacuum Suction Cup

- ▲ Lifting capacity 100Kg (220lbs)
- ▲ Heavy duty steel handle & brass tube
- ▲ Pump action & quick release lever



6" Vacuum Suction Cup With Pressure Monitor

- ▲ Lifting capacity 100Kg (220lbs)
- ▲ Heavy duty steel handle & brass tube
- ▲ Pump action & quick release lever



Mega Suction Cup

- ▲ Size: 122mm (4.8")
- ▲ Lifting capacity: 40kg (88lbs)
- ▲ Made of aluminium with rubber suction cup
- ▲ Jumbo ergonomic comfort handle
- ▲ Ideal of carrying ceramic tiles, marble and glass



Mega Double Suction Cup

- ▲ Size: 125mm (5")
- ▲ Lifting capacity: 85kg (187lbs)
- ▲ Made of aluminium with rubber suction cup
- ▲ Jumbo ergonomic handle and comfort fixing buttons
- ▲ Ideal of carrying ceramic tiles, marble and glass



Mega Triple Suction Cup

- ▲ Size: 125mm (5")
- ▲ Lifting capacity: 110kg (243lbs)
- ▲ Made of aluminium with rubber suction cup
- ▲ Jumbo ergonomic handle and comfort fixing buttons
- ▲ Ideal of carrying ceramic tiles, marble and glass




Tile Beater

- ▲ Eliminate air from underneath the tile
- ▲ Heavy duty rubber pad
- ▲ Size: 355x146mm



Tile Protector

- ▲ 4pcs per pack
- ▲ 6, 8, 10mm available
- ▲ Can be used multiple times
- ▲ Avoiding potential damage to the tiles







15pcs

Professional Jumbo Notched Trowel Set

- ▲ 2pcs x interchangeable soft grip handle
- ▲ Switch between trowel blades to be used both right and left handed
- ▲ 6pcs x Stainless steel blades in 280x115mm
- ▲ Notched 6,8,10mm, Tiger notch, Diagonal notch and 10x20mm Round Notch
- ▲ 6pcs x Stainless steel blades in 480x130mm
- ▲ Notched 6,8,10,12mm, Tiger notch and Diagonal notch
- ▲ Storage and drain box for 280x115mm blades
- ▲ Professional trowel set and saves storage space


Standard Blade	
6mm SQ notch	280x115mm
8mm SQ notch	280x115mm
10mm SQ notch	280x115mm
10x20mm Round Notch	280x115mm
Diagonal notch	280x115mm
Tiger notch	280x115mm
6mm SQ notch	480x130mm
8mm SQ notch	480x130mm
10mm SQ notch	480x130mm
12mm SQ notch	480x130mm
Diagonal notch	480x130mm
Tiger notch	480x130mm






Easy-Attach

Switch between floats and trowels with the convenience of only one handle



Slide-Lock Handle

For secure and adjustable placement along trowels and floats.



Blade Lock

Stores trowel and floats securely.



Drain System

Leaves your blades and floats dry while in storage.



Notched Trowel Set

- ▲ Stainless Steel Blades 280x115mm
- ▲ Interchangeable TPR Handle
- ▲ Square notch 6, 8 & 10mm
- ▲ Round Notch 20x20x10mm
- ▲ Universal Tiger Trowel
- ▲ Universal Diagonal Trowel
- ▲ Storage drain box

Standard Blade	
6mm SQ notch	280x115mm
8mm SQ notch	280x115mm
10mm SQ notch	280x115mm
10x20mm Round Notch	280x115mm
Tiger notch	280x115mm
Diagonal Notch	280x115mm



Interchangeable Blade

- ▲ #420 Stainless Steel
- ▲ Different notches available
- ▲ Size: 280x115mm



Interchangeable Blade

- ▲ #420 Stainless Steel
- ▲ Different notches available
- ▲ Size: 480x130mm



Interchangeable Handle

- ▲ Quick lock & release clamp

NOTCHED TROWEL

Notched Trowel

- ▲ Contoured handle for improved comfort and control
- ▲ Handle support held to blade with 13 mounted rivets
- ▲ 0,7mm quality stainless steel blade
- ▲ Range of notch size to suit any job


Code	Size
PTSL06	6mm SQ notch
PTSL08	8mm SQ notch
PTSL10	10mm SQ notch
PTSL12	12mm SQ notch
PTSLSN	Diagonal notch
PTSLTG	Tiger notch



Notched Trowel

- ▲ Contoured handle improves control and comfort
- ▲ Handle fastened to blade with 8 mounted rivets
- ▲ 0,7mm quality stainless steel blade
- ▲ Range of notch size to suit any job

Code	Size
PTSB06	6mm SQ notch
PTSB08	8mm SQ notch
PTSB10	10mm SQ notch
PTSB12	12mm SQ notch
PTSB20	Round Notch
PTSBTG	Tiger notch
PTSBPL	Plain



Notched Trowel

- ▲ Contoured handle improves control and comfort
- ▲ Handle fastened to blade with 6 welded rivets
- ▲ 0,6mm quality spring steel base
- ▲ Range of notch size to suit any job

Code	Size
PTCB06	6mm SQ notch
PTCB08	8mm SQ notch
PTCB10	10mm SQ notch
PTCB12	12mm SQ notch
PTCBSN	Diagonal notch
PTCBTG	Tiger notch



Bucket Trowel

- ▲ High strength carbon steel
- ▲ Soft grip handle
- ▲ Size: 160mm



Gauging Trowel

- ▲ High strength carbon steel
- ▲ Soft grip handle
- ▲ Size: 200mm



Margin Trowel

- ▲ High strength carbon steel
- ▲ Soft grip handle
- ▲ Size: 125mm





Smart 19L Trade washy bucket



19L Tile Washing Set

- ▲ 19L Durable bucket with wheels and stands
- ▲ Arc-shaped pouring edge and ergonomic handle
- ▲ Triple rollers for fast water extracrction
- ▲ Heavy duty plastic grid, stay still in place
- ▲ Soft grip sponge float with block cut
- ▲ Soft grip EVA float with high density
- ▲ Ideal for cleaning floor and wall tiles & applying grouts



Durable Plastic grid



Tri-roller, triple efficiency



Arc-Shaped Edge



Rotary wheels and
anti-slip stands



Sponge Float

- ▲ Hydro sponge with block cut
- ▲ Size: 280 x 140 x 30mm



Professional Sponge Float

- ▲ Soft grip handle
- ▲ Hydro sponge with block cut
- ▲ Size: 280 x 140 x 30mm



Hydro Grouting Sponge

- ▲ Ideal for cleaning tiles after grouting
- ▲ Size: 165 x 110 x 60mm



EVA Grout Float

- ▲ With plastic handle
- ▲ Size: 280 x 140 x 9mm



EVA Grout Float

- ▲ Soft grip handle
- ▲ Size: 280 x 140 x 9mm



Cellulose Sponge

- ▲ 100% Cellulose
- ▲ Soft and absorbent
- ▲ Ideal for all types of cleaning and decorating



Epoxy Grout Float

- ▲ Green hard rubber
- ▲ Size: 248 x 116mm




Grout Float

- ▲ Soft grip handle
- ▲ Aluminium base with high density EVA
- ▲ Rubber pad
- ▲ Size: 240 x 100mm



Grout Rubber Float

- ▲ Ergonomic handle
- ▲ Heavy duty rubber base
- ▲ Size: 240 x 90mm





Wall Tile Leveling Lifter

- ▲ Convenient adjustment allows for 1-25cm free height adjustment
- ▲ Quick release level for minor adjust and removal
- ▲ Single loading capacity is 80Kg
- ▲ Ideal for facilitating the laying of large tiles on the wall



Tiler's Gloves

- ▲ Size: 9/L, 10/XL, 11/XXL
- ▲ Provides excellent grip and movement when handling tile and stone
- ▲ Wear-resistant, stain-resistant Elastic ventilate, comfortable



Tile Remover Scraper

- ▲ Ideal for removing tiles and adhesives
- ▲ 100mm (1.2mm thick) steel blade
- ▲ Rubber pro grip handle
- ▲ Steel cap for extra strength



Rubber Mallet

- ▲ 24OZ
- ▲ Soft grip



One Piece Rubber Mallet

- ▲ 24OZ
- ▲ Comfort grip



Tile Markers

- ▲ Black, White and Red
- ▲ Length 180mm
- ▲ For marking on variety of surfaces for cutting and drilling jobs



Grout Rake

- ▲ With TPR soft grip handle
- ▲ Use to remove old grout between tiles
- ▲ Length 200mm
- ▲ 2 x tungsten carbide blades



Grout Rake Blades

- ▲ 2 x tungsten carbide blades
- ▲ For use with BIHUI Grout Rake



Profile Gauge

- ▲ Quick and easy way to copy awkward shapes
- ▲ Utilizing individually tensioned
- ▲ Low friction plastic blades
- ▲ Ideal for tiling, wallpaper, laying carpet, vinyl and laminate flooring



Profile Gauge with Lock

- ▲ Quick and easy way to copy awkward shapes
- ▲ Utilizing individually tensioned
- ▲ Low friction plastic blades
- ▲ With blade locking system
- ▲ Magnetic for hands-free working
- ▲ Metric and imperial scale
- ▲ Ideal for tiling, wallpaper, laying carpet, vinyl and laminate flooring



Grout and Sealant Repair Kit

- ▲ Finishing profiles with 3R(1/8R) and 6R(1/4R)
- ▲ Grouting nozzle for cartridge
- ▲ Silicone and sealant removing knives
- ▲ Quick and easy to use and clean



Silicone Applicator Kit

- ▲ Has half round cut outs to create a quadrant seal
- ▲ Has straight cut edges to provide a triangular seal
- ▲ Ideal for baths, showers, basins, windows sills, aquariums & balconies etc
- ▲ Easy to use tool, no need to tape or mask joints



Silicone Applicator Kit

- ▲ Finishing profiles in 0R,2R,3R,4R, 5R,6R,8R,10R,12R,14R,20R
- ▲ Easy to use, no need to tape or mask joints
- ▲ Designed to shape silicone sealant for a perfect neat finish



Compound Tile Nipper

- ▲ Triple Power - same effort
- ▲ Comfort grip handle
- ▲ Non-slip and ergonomic
- ▲ Carbide tipped
- ▲ Maximum tile thickness 12mm
- ▲ Ideal for irregular cuts in ceramic and porcelain tile
- ▲ Size: 10"



Straight Tile Nipper

- ▲ Designed to form narrow strips and shapes from wall or floor tiles
- ▲ Drop forged
- ▲ Carbide tipped-straight jaw
- ▲ Soft grip handle
- ▲ Size: 8"



Breaking Tile Nipper

- ▲ A dual purpose tool for cutting and breaking small wall tiles
- ▲ Carbide wheel, metal construction
- ▲ Comfort grip handle
- ▲ Size: 8"



Leather Knee Pads

- ▲ Soft and broad strap
- ▲ Single velcro front fastening strap
- ▲ Washable & durable
- ▲ Premium Grade Neoprene
- ▲ Heavy duty closed cell foam cushion



Gel Knee Pads

- ▲ Foam core for maximum cushioning
- ▲ Gel cover for extra comfort
- ▲ Velcro straps & Pressure clip for added security
- ▲ Ergonomic design
- ▲ With great stability, preventing ligament and tendons fatigue



TPR Knee Pads

- ▲ Waterproof and anti-slip engineered cover
- ▲ Made of breathable diving cloth and oxford fabric
- ▲ Durable reinforced stitching & extra foam core
- ▲ Soft gel core and thick cushioned foam core provides superior protection
- ▲ Easy & secure velcro fastening system
- ▲ Protects against nails, screws, glass and debris



PVC Knee Pads

- ▲ PE and silicone insert for maximum cushioning
- ▲ PVC cover
- ▲ Velcro straps
- ▲ Made of diving cloth and oxford fabric



Reusable Tile Leveling System

- ▲ Holds tile level & eliminates lippage
- ▲ Ideal for walls and floors tiles up to 17mm
- ▲ Suitable for tile clearance 1,5-6 mm
- ▲ Used in conjunction with other levelling systems or spacers
- ▲ Anti-scratching large cap and fast spin-down handle
- ▲ Reusable and all in one, saves both time and money


NEW

The world's first all-in-one reusable tile leveling system

HOW TO USE




Insert T-pin parallel into the grout joint
(For a wider joint, use classic spacers together)



Hold the blue cap in 90° position and spin down the grey handle



Twist the grey handle down to the required level
(no tools needed)



Return parallelly back for 90° to the grout joint for reuse
(Note: remove within 24 hrs)"



LEVELLING SYSTEM



- ▲ Size: 1mm
- ▲ Holds tiles level
- ▲ Ideal for walls & floors
- ▲ Eliminates lippage on uneven tiles
- ▲ Used for 2-15mm tile

- ▲ Size: 1.5mm
- ▲ Holds tiles level
- ▲ Ideal for walls & floors
- ▲ Eliminates lippage on uneven tiles
- ▲ Used for 2-12mm tile

- ▲ Size: 3mm
- ▲ Holds tiles level
- ▲ Ideal for walls & floors
- ▲ Eliminates lippage on uneven tiles
- ▲ Used for 2-12mm tile



Tile Levelling


- ▲ Holds tiles level
- ▲ Ideal for walls & floors
- ▲ Eliminates lippage on uneven tiles
- ▲ With spacer function for 1,2,3mm
- ▲ Used for 2-15mm tile

Tile Levelling Plier

- ▲ Improved accuracy and installation speed
- ▲ Traction adjustable applicator
- ▲ Perfect for all types of tiles
- ▲ Consistent grout lines (1, 2 or 3mm)
- ▲ Ideal for Walls and Floors

Tool Bag 20"

- ▲ Size: 51 x 26 x 30cm
- ▲ 16pcs individual pockets
- ▲ Made of 600D polyester cloth
- ▲ With carry handle and shoulder strap



HOW TO USE



Place the level base under the tiles 10 cm from either end



Insert the reusable wedge into each level base



Use the plier to tighten to the required level





Remove the wedge with BIHUI levelling level for reuse



Reusable Tile Leveling System

- ▲ Holds tiles level & eliminates lippage
- ▲ Ideal for walls and floors
- ▲ Suitable for tile clearance 1.5-6mm
- ▲ For a wider joint, use classic spacers
- ▲ Used in conjunction with other leveling systems
- ▲ Suitable for 2-17mm tiles



Levelling System Removal Roller

- ▲ High quality and smooth nylon wheels
- ▲ Chamfer design to prevent tiles from scratching
- ▲ Ergonomic handle and 1.35M length for standing working
- ▲ Triple efficient for removing all types of tile leveling system





Horseshoe Shim

- ▲ High impact reusable plastic shim
- ▲ For both horizontal and vertical tile installation
- ▲ Easy to install & Easy to remove
- ▲ For aligning marble, granite, porcelain and large format tile

Code	Size
HSB400	1.5mm(1/16")
HSP350	2mm(3/32")
HSR300	3mm(1/8")
HSY220	5mm(3/16")
HSB150	6mm(1/4")



Tile Spacers

- ▲ 250 pieces per reseal bag
- ▲ Ideal for wall and floor tiles

Code	Size
TSC1250	1x22.5x3mm
TSC2250	2x28x3mm
TSC3250	3x26.5x3mm
TSC5250	5x26.5x3mm



Tile Spacers

- ▲ 250 pieces per reseal bag
- ▲ Ideal for wall and floor tiles

Code	Size
TST2250	2x27.5x3mm
TST3250	3x26.5x3mm
TST4250	4x27x3.5mm
TST5250	5x26x3mm



Multi Size Spacer

- ▲ 50pcs per reseal bag
- ▲ Size: 1,2,3,4mm in one
- ▲ Reusable
- ▲ Ideal for wall and floor tiles



Rotate Wedge

- ▲ 50pcs per reseal bag
- ▲ Size: 1-13.3mm
- ▲ Reusable
- ▲ Ideal for wall and floor tiles



Tile Wedge

- ▲ 250pcs per reseal bag
- ▲ Size: 0.5-5mm
- ▲ Ideal for wall and floor tiles

INCISE Tile Cutter

- ▲ One-piece aluminum alloy die casting forming base
- ▲ Single rail system, simple and durable
- ▲ Integral molding design for breaking part, cutting head and handle
- ▲ Smart and easy adjusting knob for fitting with different thickness tiles
- ▲ Suitable for cutting with 90° or any angles.
- ▲ Visible cutting angle and scale plate in white and black
- ▲ Readable ruler with double row scale and pointing arrow
- ▲ Angle positioning with limitation design for easy and precise location
- ▲ Storable inclined bracing for extra support

NEW



Cutting Length (mm)	Diagonal Cutting Length (cm)	Cutting Thickness (mm)	Breaking force (kg)
630	44 x 44	5 - 20	1000
750	53 x 53	5 - 20	1000
930	66 x 66	5 - 20	1000
1250	88 x 88	5 - 20	1000



1.Cutting Wheel



2.LED working light



3.Elastic support plate



4.Inclined bracing



5.Angle positioning



6.Thickness adjuster







C-Lion Tile Cutter

- ▲ Double-layer aluminum alloy chassis, strong and durable
- ▲ Tungsten carbide scoring wheel with etched scale for using with different tile thickness
- ▲ Anti-rotation handle for change scoring wheels from Ø1/4" (6mm) to Ø7/8" (22mm)
- ▲ Ø7/8" (22mm) scoring wheel included
- ▲ Magnetic adsorption and fast release breaking device with 800kg breaking power for one-handed operation
- ▲ Adjustable measurement guide and side ruler for cutting tiles from different angle
- ▲ Anti-slip handle with storage function and snap-in for locking the handle
- ▲ Patent laser line for precise cutting and LED light for extra vision
- ▲ 1M and 1.2M tile cutter with caster design
- ▲ Suitable for cutting all kinds of ceramic tiles, such as wall tiles, polished tiles and glazed tiles

NEW



Cutting Length (mm)	Diagonal Cutting Length (cm)	Cutting Thickness (mm)	Breaking force (kg)
850	60 x 60	5 - 20	800
1000	70 x 70	5 - 20	800
1200	85 x 85	5 - 20	800



1. Magnetic adsorption breaking device



2. Quick change a wheel



3. Snap-in for locking the handle



4. Adjustable measurement guide and side ruler



5. Patent laser line and LED light



6. Anti-slip handle with storage function

5" Variable Speed Angle Grinder

- ▲ With constant speed soft start
- ▲ Spindle Thread M14
- ▲ 6 variable gears from 3,000-11,000 RPM
- ▲ With 3M cord and power-off protection
- ▲ 2-position TPR side handle
- ▲ Includes wrench, guard, side handle, carbon brushes




Suitable for Drilling, Cutting and Polishing



Multi-Purpose Dust Box

- ▲ Suitable for drilling and cutting
- ▲ Dust hole connecting with vacuum machine
- ▲ Dust trash door underneath
- ▲ Soft handle for easy carry
- ▲ Light weight and solid structure
- ▲ Working area 500 x 350 x 62mm








5 Lines Laser Level

- ▲ 360° Self-levelling green beam 5 lines laser level
- ▲ Auxiliary tiles fixing, wall decoration, floor tiles fixing, stair handrails, furred ceiling, floor tile, plastering etc

Accessories includes:

- USB charging
- Lithium-ion Battery
- Laser target plate
- Green glasses
- Bracket with adjusting and level spirit



	USB charging
	1 x Lithium-ion Battery
	Laser target plate
	Green glasses
	Bracket with adjusting and level spirit



12 Lines Laser Level

- ▲ 360° Self-levelling green beam 12 lines laser level
- ▲ Auxiliary tiles fixing, wall decoration, floor tiles fixing, stair handrails, furred ceiling, floor tile, plastering etc

Accessories includes:

- USB charging
- Lithium-ion Battery
- Laser target plate
- Green glasses
- Bracket with adjusting and level spirit
- Magnetic bracket PV9 & PV6+



NEW

	1 x Lithium-ion Battery
	USB charging
	Laser target plate
	Green glasses
	Bracket with adjusting and level spirit
	Magnetic bracket PV9 & PV6+



MIXING



Technical Data	
Output	1900W
Voltage	230V/50Hz
Speed	150-300rpm/min 300-650rpm/min
Fitting	M14
Paddle	140 x 600mm

Mixer 1900W

- ▲ Heavy duty gear system with large torque
- ▲ With 300 hours continued working time
- ▲ Paddle swing < 0.5mm without fatigue
- ▲ Maximum mixture loading 85-100L
- ▲ Suitable for mixing cement, paints, tile adhesive, glue etc
- ▲ Also available in 110V version



Technical Data	
Output	1200W
Voltage	230V/50Hz
Speed	150-300rpm/min 300-650rpm/min
Fitting	M14
Paddle	120 x 600mm

Mixer 1200W

- ▲ Heavy duty gear system with large torque
- ▲ With 300 hours continued working time
- ▲ Paddle swing < 0.5mm without fatigue
- ▲ Maximum mixture loading 40L
- ▲ Suitable for mixing cement, paints, tile adhesive, glue etc
- ▲ Also available in 110V version



Soft start and constant speed

Six speed for choosing

Quick installing mixing paddle





Leveling Compound Mixing Station

- ▲ Mixes up to 100kg with hands free
- ▲ Ergonomic handle and damping structure angles for pouring
- ▲ Removable 1900W mixing machine and large paddle
- ▲ Brake transporting castors and light weight frame
- ▲ Arc-shaped pouring spout and dust cover plate
- ▲ Suitable for mixing self-levelling cement, compounds & epoxies with good fluidity

Technical Data	
Model	MS1900
Measurement	745x560x997mm
Net Weight	33.5Kg
Power	1900W
Voltage/Frequency	230V/50-60HZ
No load speed	1st 150-300rpm/min
Mixing Paddle	2nd 300-650rpm/min
	300x600mm
Capacity	100L
Noise measurements	LpA=85,8dB(A)
LpA [dB(A)]	LpA =85,8dB(A)
LpCpeak (dB)	Less than 130dB(A)
KpCpeak (dB)	
Lwa [dB(A)]	LwA =96,8dB(A)
KwA [dB(A)]	KwA=3 dB(A)
Work mode - vibration emission value a (m/s2)	ah,D=1,695m/s2
Uncertainty K (m/s3)	K= 1,5 m/s2

Manufacturer reserves the right to change specifications without notice.
Specifications may differ from country to country



Portable Mortar Mixer

- ▲ Powerful mixer with a compact and robust design
- ▲ Removable paddles for easy cleaning
- ▲ Drum capacity 120L, 100L mixing capacity
- ▲ Socket opener on the lid for easier filling
- ▲ Suitable for mixing a variety of substances including cement, mortar, plaster and concrete

Technical Data	
Power	1500W
Voltage	230V
Frequency	50HZ
Motor Power	1600RPM
Drum Capacity	120L
Drum Mouth Diameter	690mm
Drum Rotate Speed	30RPM
Loading	120kgs
Overall Dimensions	760 x 820 x 1170mm
Net Weight	127kgs

Manufacturer reserves the right to change specifications without notice.
Specifications may differ from country to country



Spiral Mixing Paddle

- ▲ M14 steel handle with metal hanger
- ▲ Chrome plated
- ▲ Suitable for mortar, tile adhesive, plaster, screed and filling compounds
- ▲ Size: 140xM14x600mm



Twist Mixing Paddle

- ▲ M14 steel handle with metal hanger
- ▲ Zinc plated
- ▲ Suitable for mortar, tile adhesive, plaster, screed and filling compounds
- ▲ Size: 140xM14x600mm



Paint Mixing Paddle

- ▲ Hexagon shaft to fit drill machine
- ▲ Powder coating
- ▲ Suitable for mixing mud and paint
- ▲ Size: 80x8x400mm



Bucket Dust Collector

- ▲ Ideal for dust extraction in the filling and mixing process
- ▲ Quick clamping on the bucket with spring
- ▲ 3-steps rubber connector to the vacuum cleaner
- ▲ Fast extraction design for reduced dust
- ▲ Suitable for mixing bucket upto 35mm thickness
- ▲ Benefits to health and environment



VACUUM CLEANER



Vacuum Cleaner

- ▲ Semi-automatic filter cleaning system
- ▲ Wet & Dry cleaning
- ▲ Blower function
- ▲ Dust full indicator
- ▲ Speed control system (Optional)
- ▲ Power tool socket function
- ▲ On-board accessory storage
- ▲ Convenient suction hose and bend attachment for easy transport and storage
- ▲ Drain device for convenient liquid disposal (20L)

Specifications	20L	30L
Voltage / Frequency	220-240V / 50Hz / 100-127V / 50/60Hz	
Motor power (w)	1200	1200
Airflow (m³ / min)	≥ 1.8	≥ 1.8
Vcuum pressure (KPa)	16.5±1.5	16.5±1.5
Noise (LpA)	≤ 80	≤ 80
Tank capacity (L)	20	30
Electrical cord Lenght (m)	2.3	2.3

CONCRETE GRINDER



Concrete Grinder

- ▲ Made of durable aluminum alloy, metal and engineering nylon
- ▲ Ergonomic design characterized with the increased balance and flatness
- ▲ Suitable for almost all 180mm diamond or resin discs
- ▲ Featured with power-off & overloading protections, and speed regulation
- ▲ Full wave electronics, soft start, and with a start-current limit function
- ▲ Removable front protective cover with magnetic, convenient for corner grinding (inner corner)
- ▲ Self-cleaning design, equipped with professional vacuum cleaner interface, can be used in vacuum bag or vacuum cleaner, dust-free operation

Mounted on a ergonomic working stand

- ▲ Convenient installation, comfortable operation, reducing labor intensity
- ▲ Adjustable angles to meet the needs of the working scene of grinding edges and corners.

Application

- ▲ Removing old surfaces as well as preparing a new base for secondary renovation.
- ▲ Suitable for materials like tile, concrete, etching, tile adhesive, natural stone, plaster, paint, coating, adhesive carpet etc.

Technical Data	
Output	1900W
Voltage	230V/50Hz
Speed	0-3000RPM
Cup Wheel	180mm



1.180mm Diamond or resin discs



2.Protective cover with magnetic



3.Dust-free brush



4.Connection pipe to vaccum cleaner



5.Constant speed and soft start



6.Variable speed switch



Working Stand for Concrete Grinder

- ▲ Working stand with 1.0-1.2M adjustable height and ergonomic handles
- ▲ With 2.5M cable, switch box and universal wheels and positioner device
- ▲ Suitable for BIHUI 1900W Concrete Grinder
- ▲ Save labor and energy when polishing or grinding large areas surfaces



Arrow Cup Wheel

- ▲ Arrow segment design for aggressive and fast material removal as well as surface preparation
- ▲ Features with large air holes designed to aid in and maintain a cool stable cutting pattern and reduced wear
- ▲ Strong steel body provide stable cutting performance and smooth finishing
- ▲ Suitable for grinding and smoothing materials like concrete, granite, sandstone and building material as well as adhesive, epoxy and paint removal

MAX RPM 12250



Fan Cup Wheel

- ▲ Turbo fan design for aggressive and fast material removal as well as surface preparation
- ▲ Features with large air holes designed to aid in and maintain a cool stable cutting pattern and reduced wear
- ▲ Strong steel body provide stable cutting performance and smooth finishing
- ▲ Suitable for grinding and smoothing materials like concrete, granite, sandstone and building material

MAX RPM 12250



Turbo Cup Wheel

- ▲ Spiral turbo design for aggressive and fast material removal as well as surface preparation
- ▲ Features with large air holes designed to aid in and maintain a cool stable cutting pattern and reduced wear
- ▲ Strong steel body provide stable cutting performance and smooth finishing
- ▲ Suitable for grinding, smoothing and for removing of adhesives and materials from concrete, granite, sandstone and building material

MAX RPM 12250




Dual-Row Cup Wheel

- ▲ Double row design for aggressive and fast material removal as well as surface preparation
- ▲ Features with air holes designed to aid in and maintain a cool stable cutting pattern and reduced wear
- ▲ Strong steel body provide stable cutting performance and smooth finishing
- ▲ Suitable for grinding, smoothing and for removing of adhesives and materials from concrete, granite, sandstone and building material

MAX RPM 12250





Vacuum Brazed Coating & Glue Grinding Cup Wheel

- ▲ Spiked diamonds for aggressive and fast material removal as well as surface preparation
- ▲ Features with air holes designed to aid in and maintain a cool stable cutting pattern and reduced wear
- ▲ Reinforced compound technology with high durability against impact and abrasion
- ▲ Suitable for removing epoxy, adhesive residues, paint coatings etc. from concrete, granite, sandstone and building material

MAX RPM 12250




NEW



Grinding Dust Extractor

- ▲ Better health and less cleaning due to dust-free grinding
- ▲ Universal vacuum cleaner connection: diam 25-35 mm
- ▲ Brush rim largely prevents the leakage of fine dust
- ▲ Adjustable front part allows edge work
- ▲ Adjustable snap closure for secure mounting on the angle grinder
- ▲ Spare brush available





Grinding



Bevelling



Side indentation



Small cut & rounding

Vacuum Brazed Diamond Cutting and Grinding Wheel

- ▲ Designed for bevelling, small cuts, grinding, rounding and shaping edges and corners
- ▲ Can be used with any standard M14 grinder, No adaptors needed
- ▲ 5/8"-11 thread available
- ▲ Suitable for materials like porcelain, marble and granite etc.



	✓		✓
	✓		✓
	✓		✓
	✓		✓
	✓		✓

MAX RPM 12250



Electroplated Diamond Cutting and Grinding Wheel

- ▲ Designed for bevelling, small cuts, grinding, rounding and shaping edges and corners
- ▲ Can be used with any standard M14 grinder, No adaptors needed
- ▲ 5/8"-11 thread available
- ▲ Suitable for materials like porcelain, marble and granite etc.



	✓		✓
	✓		✓
	✓		✓
	✓		✓
	✓		✓

MAX RPM 12250



Universal Polishing and Grinding Flap Disc

- ▲ Spiral turbo design for aggressive and fast grinding
- ▲ Strong body provide stable cutting performance and smooth finishing
- ▲ Durable medium grit for beveling and grinding
- ▲ Suitable for grinding and smoothing materials like porcelain, marble and granite



NEW

	✓		✓
	✓		✓
	✓		✓
	✓		✓
	✓		✓

MAX RPM 12250





Diamond Blade

- ▲ Full 7mm height continuous diamond rim
- ▲ Suitable for cutting Hard Tiles , Marble , Slim Slab etc



Art.No					
DCDT85	85mm	3"	22.23mm	7	



Diamond Blade

- ▲ Full 7mm height continuous diamond rim
- ▲ Central bore reinforced with 55mm double flange
- ▲ Suitable for cutting Hard Tiles , Marble , Slim Slab etc



Art.No					
DCDT115	115mm	4.5"	22.23mm	7	
DCDT125	125mm	5"	22.23mm	7	



Diamond Blade

- ▲ Full 7mm height continuous diamond rim
- ▲ Central bore reinforced with 70mm double flange
- ▲ Suitable for cutting Hard Tiles , Marble , Slim Slab etc






Art.No					
DCDT200	200mm	8"	25.4mm - 22.23mm	7	
DCDT230	230mm	9"	22.23mm	7	



Diamond Blade

- ▲ Full 10mm height continuous diamond rim
- ▲ Central bore reinforced with 55mm double flange
- ▲ Suitable for cutting Hard Tiles , Porcelain tiles , Ceramic tiles etc






Art.No				
DCDA115	115mm	4.5"	22.23mm	10
DCDA125	125mm	5"	22.23mm	10




Diamond Blade

- ▲ Full 7mm height continuous diamond rim
- ▲ Central bore reinforced with 70mm double flange
- ▲ Suitable for cutting Slim Slab , Porcelain Tiles , Ceramic Tiles etc






Art.No				
DCDS115	115mm	4.5"	22.23mm	7
DCDS125	125mm	5"	22.23mm	7



Diamond Blade

- ▲ Full 10mm height continuous diamond rim
- ▲ Central bore reinforced with 55mm double flange
- ▲ Suitable for cutting Porcelain, Marble, Slim Slab






Art.No				
DCDW115	115mm	4.5"	22.23mm	10
DCDW125	125mm	5"	22.23mm	10



Diamond Blade

- ▲ Full 10mm height continuous diamond rim
- ▲ Central bore reinforced with 55mm double flange
- ▲ Suitable for cutting Hard Tiles , Porcelain Tiles , Ceramic Tiles etc






Art.No				
DCDM115	115mm	4.5"	22.23mm	10
DCDM125	125mm	5"	22.23mm	10



Diamond Blade

- ▲ Full 10mm height continuous diamond rim
- ▲ Suitable for cutting Mosaic Tiles, Glass mosaic, Stone mosaic etc



Art.No				
DCDC115	115mm	4.5"	22.23mm	10
DCDC125	125mm	5"	22.23mm	10






Cyclone Diamond Blade

- ▲ Dry cutting depth upto 20mm
- ▲ Reinforced flange & Long lifetime
- ▲ Fine cuts and less dust
- ▲ Suitable for Tiles, marble, natural and artificial stone



Art.No				
DCBM115	115mm	4.5"	22.23mm	10
DCBM5	125mm	5"	22.23mm	10



Super Thin Turbo Diamond Blade

- ▲ Dry cutting depth upto 20mm
- ▲ Reinforced flange & Long lifetime
- ▲ Fine cuts and less dust
- ▲ Suitable for Tiles, marble, natural and artificial stone



Art.No				
DCBN115	115mm	4.5"	22.23mm	7.5
DCBN5	125mm	5"	22.23mm	7.5



Super Narrow Teeth Diamond Blade

- ▲ Dry cutting depth upto 20mm
- ▲ Reinforced flange & Long lifetime
- ▲ Fine cuts and less dust
- ▲ Suitable for Tiles, marble, natural and artificial stone



Art.No				
DCBT115	115mm	4.5"	22.23mm	10
DCBT5	125mm	5"	22.23mm	10





Wave Rim Diamond Blade

- ▲ Cutting depth 25mm
- ▲ Central bore designed with X-LCOK
- ▲ Suitable for cutting Hard Tiles, Porcelain tiles, Ceramic tiles etc
- ▲ Size: 125mm



Continuous Rim Diamond Blade

- ▲ Cutting depth 25mm
- ▲ Central bore designed with X-LCOK
- ▲ Suitable for cutting Hard Tiles, Porcelain tiles, Ceramic tiles etc
- ▲ Size: 125mm



Super Thin Turbo Diamond Blade

- ▲ Cutting depth 25mm
- ▲ Central bore designed with X-LCOK
- ▲ Suitable for cutting Hard Tiles, Porcelain tiles, Ceramic tiles etc
- ▲ Size: 125mm



X-LOCK Diamond Dry Drill Bit

- ▲ Compatible with X-LOCK angle grinders
- ▲ Can be changed quickly and conveniently
- ▲ Suitable for drilling porcelain, marble and granite
- ▲ Available in different sizes



X LOCK Adaptor

- ▲ For converting M14 thread into X lock
- ▲ Use for X-LOCK angle grinders





SUITABLE FOR
PORCELAIN & HARD TILES



USE DRY



USE WITH
ANGLE GRINDER 11000 RPM



45°

1. Start drill at a 45° angle to the surface until good contact has been established.



2. Proceed drilling in a circular motion until the hole is done.



Diamond Turbo Drill Set

6pcs

- ▲ Vacuum brazed diamond drill bit
- ▲ M14 connection to angle grinder
- ▲ Fast speed and long lifetime
- ▲ Drills in size Ø6x64, Ø8x64, Ø20x74, Ø35x74, Ø50x74, Ø70x74mm



Diamond Turbo Drill Set

4pcs

- ▲ Vacuum brazed diamond drill bit
- ▲ M14 connection to angle grinder
- ▲ Fast speed and long lifetime
- ▲ Drills in size Ø25x74, Ø40x74, Ø60x74, Ø70x74mm



Diamond Turbo Drill Set

6pcs

- ▲ Vacuum brazed diamond drill bit
- ▲ Vacuum brazed diamond grinding bit
- ▲ M14 connection to angle grinder
- ▲ Drills in size Ø25x74, Ø35x74, Ø40x74, Ø45x74, Ø50x74, Ø68x74mm



Diamond Turbo Drill Set

7pcs

- ▲ Vacuum brazed diamond drill bit
- ▲ Vacuum brazed diamond grinding bit
- ▲ M14 connection to angle grinder
- ▲ Fast speed and long lifetime
- ▲ Drill in size 25x74, 35x74, 40x74, 45x74, 50x74, 68x74mm
- ▲ Finger bit in 20mm & cone bit in 20-48mm



Diamond Turbo Drill Set

10pcs

- ▲ Vacuum brazed diamond drill bit
- ▲ M14 connection to angle grinder
- ▲ Fast speed and long lifetime
- ▲ Drill in size 25x74, 35x74, 40x74, 45x74, 50x74, 68x74mm
- ▲ Finger bit in 20mm & cone bit in 20-48mm
- ▲ Cutting disc in 125mm & cooling gel





SUITABLE FOR
PORCELAIN & HARD TILES



USE DRY



USE WITH
ANGLE GRINDER 11000 RPM



Diamond Mill

- ▲ Size: 10mm
- ▲ M14 or 5/8"-11 thread
- ▲ Medium grit
- ▲ Suggested MIN RPM 1500
- ▲ For enlarge or polishing holes after drilling



Diamond Mill

- ▲ Size: 20mm
- ▲ M14 or 5/8"-11 thread
- ▲ Medium grit
- ▲ Suggested MIN RPM 1500
- ▲ For enlarge or polishing holes after drilling



Drill Chuck Adaptor

- ▲ For converting M14 thread into
- ▲ Hexagon connection for drill machine
- ▲ Suggested MIN RPM 2500



Diamond Mill

- ▲ Size: 2-38mm
- ▲ M14 or 5/8"-11 thread
- ▲ Medium grit, Conical top
- ▲ Suggested MIN RPM 1500
- ▲ For enlarge or polishing holes after drilling



Diamond Mill

- ▲ Size: 20-48mm
- ▲ M14 or 5/8"-11 thread
- ▲ Medium grit, Flat top
- ▲ Suggested MIN RPM 1500
- ▲ For enlarge or polishing holes after drilling



Cooling Wax

- ▲ 20-25ml
- ▲ For cooling tile drill bit
- ▲ Prolonger lifetime and drilling speed



Turbo Dry Drill Bit

- ▲ Vacuum brazed diamond drill bit
- ▲ M14 or 5/8"-11 thread to angle grinder
- ▲ Fast speed and long lifetime
- ▲ Suggested RPM 11000
- ▲ Suitable for drilling porcelain, marble and granite


Code	Size
DBDM06	6x64mm
DBDM08	8x64mm
DBDM10	10x64mm
DBDM12	12x64mm
DBDM20	20mmx74mm
DBDM28	28mmx74mm
DBDM35	35mmx74mm
DBDM40	40mmx74mm
DBDM55	55mmx74mm
DBDM60	60mmx74mm
DBDM68	68mmx74mm
DBDM75	75mmx74mm
DBDM100	100mmx74mm
DBDM115	115mmx74mm



More sizes available

Porcelian				
Marble				
Travertine				
Granite				
Ceramic				

Lifetime





Hexagon Connection Diamond Dry Drill Bit

- ▲ Hexagon shaft to fit drill machine
- ▲ Fast speed and long lifetime
- ▲ Suggested RPM 2500
- ▲ Suitable for drilling porcelain, marble and granite

Code	Size
DBDH06	6mm
DBDH08	8mm
DBDH10	10mm
DBDH12	12mm
DBDH14	14mm
DBDH20	20mm



More sizes available



Quick Change Diamond Dry Drill Bit

- ▲ Quick clip handle to shaft drill
- ▲ Fast speed and long lifetime
- ▲ Suggested RPM 2500
- ▲ Suitable for drilling porcelain, marble and granite


Code	Size
DBDQ06	6mm
DBDQ08	8mm
DBDQ10	10mm
DBDQ12	12mm
DBDQ14	14mm
DBDQ20	20mm



More sizes available

Porcelian				
Marble				
Travertine				
Granite				
Ceramic				

Lifetime





Drill Guide Master

- ▲ Adjustable hole saw drill guide with 125mm suction rubber base
- ▲ Integrated water hole attach to cooling system for wet drilling
- ▲ for guiding hole saw drill from 4mm to 115mm
- ▲ Fixed hole size in 4,5,6,7,8,10,12,20,35mm
- ▲ Adjustable steel plate with maximum opening length 80mm
- ▲ For 81mm to 115mm drills, place the drills at the end of the guide
- ▲ Loose the screw, suction cup can be used individually with max. capacity of 35Kg (77lbs)
- ▲ Suction cup suitable for Tiles, Glass, Marble, Granite, etc.



Universal Guide

- ▲ High quality suction pad for hole locating
- ▲ Integrated with steel plate for precise drilling
- ▲ ABS material with comfort nylon handle
- ▲ Suitable for drill sizes in 4,5,6,8,10,12,14mm



Tile Drill Guide

- ▲ Made of stainless steel
- ▲ Durable suction rubber pad
- ▲ Suitable for drills from 6-40mm





Electroplated Diamond Drill Bit

- ▲ Suitable for drilling porcelain, marble, granite, glass and travertine
- ▲ To maximise performance ensure drill is cooled with water




Code	Size	Code	Size
DBW06	6mm	DBW45	45mm
DBW08	8mm	DBW50	50mm
DBW10	10mm	DBW55	55mm
DBW12	12mm	DBW68	68mm
DBW20	20mm	DBW75	75mm
DBW25	25mm	DBW100	100mm
DBW35	35mm	DBW120	120mm



More sizes available

Diamond Hand Pad

- ▲ For wet & dry grinding edges and surfaces
- ▲ Suitable for tile, prcelain, marble and glass
- ▲ Use the entire diamond surface for the best results
- ▲ Available in #60-120-200-400
- ▲ Size: 55 x 95mm



Code	Size
DHP060	60#
DHP120	120#
DHP200	200#
DHP400	400#






Brazed Diamond Polishing Pad

- ▲ Size: 4" or 5" (#50 #100)
- ▲ Aggressive and well finish
- ▲ Great for polishing flat surface and bevelling edges
- ▲ Designed for tile, porcelain, marble and glass



Polishing Pad Holder


- ▲ Velcro connection to polishing pads
- ▲ Rubber Backing with M14 or 5/8"-11 thread
- ▲ Size: 100mm(4")



Diamond Polishing Pads

- ▲ Size: 4" (#50 #200 #800 #1500)
- ▲ Sharp, durable, well finish
- ▲ Great for polishing flat surfaces and bevelled edges
- ▲ Light color pad design
- ▲ Specially ideal for white and light color ceramic tiles and other materials

Code	Size
DPP405	#50
DPP420	#200
DPP480	#800
DPP415	#1500



PROMOTIONAL ITEMS



- BPG01 Travel Case
- BPG02 Coffee Mug
- BPG03 Short Shirt
- BPG04 Baseball Cap
- BPG05 Office Calendar
- BPG06 Travel Bag



BDSP01 Display
BDSH15 Hooks