



# PNEUMATIKA

## OMEGA AIR



### Priključak za crevo (Spoljašnji navoj)

Materijal:  
Niklovano gvožđe



Šifra	Promer ["]
2500058	1/4
2500059	3/8
2500060	1/2



### Priključak za crevo (Unutrašnji navoj)

Materijal:  
Niklovano gvožđe



Šifra	Promer ["]
2500152	1/4
2500153	3/8
2500154	1/2



### Priključak za crevo (Cevni)

Materijal:  
Niklovano gvožđe



Šifra	Promer [mm]
2500144	6
2500145	8
2500063	10
2500146	13



### Sklopka za kompresor

Napon: 220V  
Priključci: 4 x 1/4"  
(unutrašnji navoj)



Šifra	Pritisak [bar]
3000584	8



### Spojka brza (Spoljašnji navoj)

Materijal:  
Niklovano gvožđe



Šifra	Promer ["]
2500054	3/8
2500055	1/2



### Spojka brza (Unutrašnji navoj)

Materijal:  
Niklovano gvožđe



Šifra	Promer ["]
2500056	1/4
2500057	3/8
2500130	1/2



### Spojka brza (Cevna)

Materijal:  
Niklovano gvožđe



Šifra	Promer ["]
2500139	6
2500140	8
2500061	10
2500142	13



### Kompresor mini

- Protok vazduha na usisnoj strani: 110l/min
- Snaga motora: 0,55kW
- Zapremina posude: 5l
- Dimenzije (DxŠxV): 380x280x270mm
- Masa: 12kg
- Nivo buke: 63dB
- Br. obrtaja: 1440o/min



Šifra	Pritisak [bar]
1401585	8



### Nastavak za pojačavanje pritiska, za veći protok vazduha

Priključci:  
1/8" - 1/4"



Šifra	Priključci ["]
2507440	1/8 - 1/4



### Priključak okretni 360°

Priključci: 1/4"  
(unutrašnji i spolja. navoj)



Šifra	Navoj ["]
2501872	1/4U i 1/4S



### Ventil nepovratni za pumpe

Prečnik priključka na nepovratnom ventilu je 25 mm



Šifra	Promer [mm]
2300374	25



### Ulje za kompresor

Zapremina posude: 0,5l



Šifra	Zapremina posude [mm]
2900161	0,5

### Klešta za matice



Šifra	Za matice
2507043	M3, M4, M5, M6, M8, M10, M12

### Odvlaživač DH20/24 (za prostoriju od 70m<sup>2</sup>)

Protok vazduha: 195 m<sup>3</sup>/h  
Opseg radne temp. 5°C do 32°C  
Napon/frekvencija: 230V/50 Hz  
Potrošnja el. energije: 0,39 kW/h  
Kapacitet rezervoara: 5,5 l  
Nivo buke: 47 dB (A)  
Težina: 14,5 kg  
Dimenzije: 368x233x576 mm



Šifra	DxŠxV [mm]
2300985	368x233x576



### Cev usisna za pumpu + Nepovratni ventil



• 7m cevi  
(spoljni prečnik/unutrašnji prečnik 29/25mm)

Šifra	Dužina cevi [m]
2300372	7



### Pripravna jedinica Black Line 1/2"

Priključci: 1/2"



Šifra	Priključci ["]
2505405	1/2



### Klešta za matice



Šifra	Za matice
2507044	M3, M4, M5, M6



### Odvlaživač DH10/24 (za prostoriju od 35m<sup>2</sup>)

Protok vazduha: 120 m<sup>3</sup>/h  
Opseg radne temp. 5°C do 32°C  
Napon/frekvencija: 230W/50Hz  
Potrošnja el. energije: 0,215kW/h  
Kapacitet rezervoara: 3,5l  
Nivo buke: 42dB (A)  
Težina: 12 kg



Šifra	DxŠxV [mm]
2300986	334x304x490



### Membrana gumena za hidrofor

• Unutrašnji otvor 95mm  
• Spoljni otvor prirubnice 150mm  
• Zapremina hidrofora 19l



Šifra	Zapremina [l]
2300533	19



### Filter sa regulatorom pritiska Black Line 1/2"

Priključci: 1/2"



Šifra	Priključci ["]
2505715	1/2



### Usisivač za pepeo

Tehnički opis:  
• Snaga: 800W  
• Napon: 230V/50Hz

Oprema:  
• Fleksibilna cev  
• HEPA filter  
• Posuda od INOX-a, 15l sa metalnim zatvaračima



Šifra	Snaga [W]
2300678	800



### Filter HEPA za usisivač za pepeo



Šifra	Visina x Spoljašnji prečnik x Unutrašnji prečnik
2300714	118 x 145 x 120mm



### Sklopka za pritisak 3/8"

Pritisak:  
od 1,5 do 3 bar



Šifra	Pritisak [bar]
2300373	1,5-3



### Regulator pritiska Black Line 1/2"

Priključci: 1/2"



Šifra	Priključci ["]
2506479	1/2





**GARTNER RETAIL GROUP DOO**

Nemanjina 20 34000 Kragujevac

034/6101443 064/8661097

info@gartner.rs www.gartner.rs