



VIJČANI PROGRAM

PREGLED ASORTIMANA

Specialists of
**FASTENERS
INDUSTRY**

















www.gartner.rs














Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
1	2339B	M.C2.205	Konusni klin oblik B	117		27-28
7	2338	M.C2.204	Cilindrični zatic	116		29-31
84	1207	M.B1.101	Vijak s cilindričnom glavom	42		32-33
85	1580	M.B1.115	Vijak s širokom cilindričnom glavom	42		33-34
93		M.B2.142	Osiguravajuća podloška s jednim perom	90		34-35
94	1234	M.B2.300	Rascjepka	122		35-36
125	7089	M.B2.011	Podloška oblik A	86		37-38
126	7091	M.B2.012	Podloška za drvo	86		38-39
127		M.B2.110	Opružna podloška, oblik B	90		39-40
128		M.B2.113	Opružna podloška, valovita	91		41
137		M.B2.136	Podloška, valovita	91		42-43
186		M.B1.182	T-vijak, oblik B	34		44
258			Zatic, konusni	118		45
315		M.B1.680	Krilna matica, američki oblik/ ljevana	82/75		45-46

Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
316		M.B1.230	Leptir vijak	34		46-47
417	7435	M.B1.291	Uvrtni vijak, ravni prihvat	25		47
427	2342	M.B1.281	Uvrtni vijak, ravni prihvat	25		48
432		M.B2.141	Osiguravajuća podloška s vanjskim utorom	92		48-49
433	7092	M.B2.013	Podloška	86		49-50
434		M.B2.032	Kosa podloška, za U nosač, nagib 8%	88		50-51
435		M.B2.031	Kosa podloška, za I nosač, nagib 14%	88		52-53
436		M.B2.022	Četverokutna podloška	88		53-54
439	4035/8675	M.B1.604	Šesterokutna matica, niska	67		55-56
440	7094		Podloška, R i V oblik	86		57-58
444		M.B1.220	Očni vijak , oblik B	35		59-61
462		M.B2.140	Osiguravajuća podloška s unutarnjim utorom	92		61
463		M.B2.143	Osiguravajuća podloška s dva pera	93		62
464			Narovašeni vijak	35		63

Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
466			Narovašena matica, visoka	75		63
467			Narovašena matica, niska	75		64
471		M.C2.401	Uskočnik, vanjski	93		64-65
472		M.C2.400	Uskočnik, unutarnji	97		65-66
479		M.B1.091	Vijak s četverokutnom glavom	35		66
508	299		T-matica	74		67
551	4766	M.B1.280	Uvrtni vijak, ravni prihvat	25		67-69
553	7434	M.B1.290	Uvrtni vijak, ravni prihvat	25		70-71
557		M.B1.640	Četverokutna matica	85		72
561		M.B1.071	Vijak s malom šesterokutnom glavom, oblik B	22		73-74
562			Četverokutna matica	85		75
571		M.B1.500	Vijak za drvo, šesterokutna glava	56		76-77
580		M.B1.210	Vijak s okom	37/150		77-78
582		M.B1.690	Matica s okom	80/150		78-79

Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
603		M.B1.171	Torban vijak	37		79-80
604		M.B1.150	Plug vijak	37		81-82
608		M.B1.151	Plug vijak	38		83
610		M.B1.062	Vijak za precizno nalijeganje s kratkim navojem	23		84
653			Narovašeni vijak	38		85
660		M.B3.011	Zakovica, poluokrugla glava	133		86
661		M.B3.012	Zakovica, upuštena glava	133		87
662		M.B3.013	Zakovica za lim, lečasta glava	133		88
674		M.B3.014	Zakovica, niska glava	133		88
705			Odstojni prsten s 2 uvrtna vijka 120°	112		89-90
741			Stezaljka za čelično uže	132		91
835		M.B1.262	Dvostrani vijak	24		91-92
906			Čep s šesterostranim otvorom za imbus ključ	27		93-94
908		M.B1.320	Čep s šesterostranim otvorom za imbus ključ	27		95-96















Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
909			Čep s šesterostranom glavom	28		97
910		M.B1.324	Čep s šesterostranom glavom	28		98-99
912	4762	M.B1.120	Imbus vijak	18		100-114
913	4026	M.B1.270	Uvrtni vijak, imbus prihvat	26		114-117
914	4027	M.B1.271	Uvrtni vijak, imbus prihvat	26		118-120
915	4028	M.B1.272	Uvrtni vijak, imbus prihvat	26		120-122
916	4029	M.B1.273	Uvrtni vijak, imbus prihvat	26		123-125
917		M.B1.650	Slijepa matica	66		125
921		M.B1.112	Vijak s velikom cilindričnom glavom	43		126
928			Privarna matica, četverokutna	74		126
929			Privarna matica, šesterokutna	74		127
931	4014	M.B1.051	Šesterokutni vijak	21/22		127-142
933	4017	M.B1.053	Šesterokutni vijak	21/22		142-156
934	4032/8673	M.B1.601	Šesterokutna matica	66		157-161

Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
935		M.B1.630	Krunasta matica	70		161-163
936	4035/8675	M.B1.604	Niska matica	67		164-165
937		M.B1.634	Niska krunasta matica	70		166-167
938		M.B1.260	Dvostrani vijak	24		168-171
939		M.B1.261	Dvostrani vijak	24		172-177
960	8765	M.B1.057	Šesterokutni vijak, fini navoj	21		177-180
961	8676	M.B1.058	Šesterokutni vijak, fini navoj	21		181-185
963	2009	M.B1.130	Vijak, upuštena glava	43		185-186
964	2010	M.B1.140	Vijak, upuštena lećasta glava	44		187
965	7046	M.B1.136	Vijak, upuštena glava	44		188-189
966	7047	M.B1.144	Vijak, upuštena lećasta glava	44		189-190
976			Navojna šipka			190-195
980	7042		Sigurnosna matica	71		196-197
981			Osovinska matica za valjane ležajeve	71		197















Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
982	10512		Sigurnosna matica, visoka	71		198-199
985	10511		Sigurnosna matica	72		200-201
988			Odstojna podloška	76		202-204
1440	8738		Podloška	87		204-205
1441			Podloška	87		205-206
1480			Natezni vijci i matica	85		206-207
1481	8752		Elastični zatik	121		208-212
1587		M.B1.628	Slijepa matica	67		213
1804			Matica za pričvršćivanje ležaja	77		213
2093			Tanjurasta opruga	144		214-216
3017			Obujmica	85		216
3402		M.C4.612	Mazalica, oblik A			217
3404		M.C4.611	Mazalica, oblik A	30		217-218
3405		M.C4.614	Mazalica, oblik A	30		218-219

Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
5406			Limeni osigurač	100		219
6319			Konusna podloška vanjska C/ unutarnja D, G	113		220-222
6325	8734		Cilindrični zatik, kaljen, brušen, tolerancija m6	116		222-224
6330			Šesterokutna matica	67		224-225
6331			Šesterokutna matica visine do 1,5 d s obodom	68		225-226
6334			Šesterokutna matica visine 3 d	68		226
6340			Podloška	86		227
6796			Tanjurasta podloška			228
6797		M.B2.150	Zupčasta podloška, oblik A, I, V	101		229-230
6798		M.B2.151	Zupčasta podloška, oblik A, I, V	101		230-231
6799			Uskočnik	102		232
6880			Klin	136		233
6885			Klin oblik A	137		233-236
6887			Klin oblik A			236

Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
6912		M.B1.124	Imbus vijak, niska glava	18		237-241
	EN 14399-4		HV-šesterokutni vijak, PEINER	62		242-246
	EN 14399-4		HV-šesterokutna matica, PEINER	62		246-247
	EN 14399-6		HV-podloška, PEINER	62		247-248
6917			Kosa podloška za I profil, HV	88		248-249
6918			Kosa podloška za U profil, HV	88		249-250
6921			Šesterokutni vijak s priрубnicom	23		250-252
6923			Šesterokutna matica s priрубnicom	68		253
6925	7042		Matica	71		254
6928			Vijci za lim sa šesterokutnom glavom			255
7337			Pop zakovica	162		255-259
7338			Zakovica oblik B, C	134		259-260
7343	8750		Spiralni zatik	121		260-261
7346	13337		Elastični zatik	122		261-263


Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
7349			Podloška	87		264
	7380		Imbus vijak sa poluokruglom glavom	20		265-267
7500			Samourezni vijak oblik D, C, M	46		268-269
7504			Samobušeci vijak za lim oblik K, N, P	47		269-272
7603			Brtva	89		272-273
7967		M.B2.155	Sigurnosna niska matica	72		273-274
7971	1481	M.B1.456	Vijak za lim, cilindrična glava, ravni prihvat			274-275
7972	1482	M.B1.457	Vijak za lim, upuštena glava, ravni prihvat			275-276
7973	1483	M.B1.458	Vijak za lim, upuštena lećasta glava, ravni prihvat			276-277
7976	1479	M.B1.455	Samourezni vijak, šesterokutna glava	51		277-278
7977	8737		Konusni zatic	118		278
7978	8738		Konusni zatic s unutarnjim navojem	118		279
7979	8733		Cilindrični zatic s unutarnjim navojem	117		280
7980		M.B2.111	Elastična podloška za imbus vijak	102		281

Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
7981	7049	M.B1.466	Vijak za lim, cilindrična glava, križni prihvat	51		282
7982	7050	M.B1.465	Vijak za lim, upuštena glava, križni prihvat	52		283
7983	7051	M.B1.467	Vijak za lim, upuštena lećasta glava, križni prihvat	52		284
7984	14580	M.B1.125	Imbus vijak, niska glava	19		285-287
7985	7045	M.B1.118	Vijak, cilindrična glava, križni prihvat	45		287-288
7989			Odstojna podloška	87		289
7990		M.B1.068	Šesterokutni vijak za čelične konstrukcije	61		290-291
7991	10642	M.B1.126	Imbus vijak, upuštena glava	20		292-299
7997			Vijak za drvo, upuštena križna glava			299
9021	7093-1, 2	M.B2.014	Podloška za drvo	87		300
11024			Žičani osigurač	123		300-301
15237			Pehar vijak	40		301
25201			Samoosiguravajuća podloška, NORD-LOCK	107		302
71412		M.C4.613	Mazalica, oblik A, B, C	30		303-305

Vijčana roba po DIN/ISO/HRN

DIN	ISO	HRN	Naziv	TI		Strana
74361			Matica i podloška oblik A, B, C	68/69/ 104		306-307















Nestandardna vijčana roba

A	Proizvođač	Oznaka	Naziv	TI		Strana
A1		UKC, UKD/ ZZN	Vijak za ivericu, upuštena glava, cijeli navoj/djelomični navoj			311-312
A2		UKC, UKD/ BZN	Vijak za ivericu, upuštena glava, cijeli navoj/djelomični navoj			313-314
A3	SPAX®	UKS ZZN	Vijak za ivericu, upuštena križna glava, žuto cinčani			315-316
A4	SPAX®	UKS BZN	Vijak za ivericu, upuštena križna glava, bijelo cinčani			316-317
A5		UTC	Vijak za ivericu, upuštena glava TORX			318-319
A6		CKC	Vijak za ivericu, cilindrična križna glava			320
A7		LKC	Vijak za ivericu, upuštena lećasta glava			321
A8		TEXZ	Vijak za ivericu, za drvene konstrukcije, upuštena glava TORX			322
A9		UKCS	Vijak za ivericu, upuštena križna glava , navoj do glave ubušen za PVC kapicu			322
A10			Hangar vijak, metal/drvo			323
A11			Šesterokutna matica-spojnica visine 3 d			324
A12			Stolarska matica, UNIT			324
A13	RAWLPLUG	R-XPT	Sidro za učvršćenje	210-222		325
A14	RAWLPLUG	R-XPTII	Sidro za učvršćenje, inox	223-232		325















Nestandardna vijčana roba

A	Proizvođač	Oznaka	Naziv	TI		Strana
A15	RAWLPLUG	R-SPL-BP	Visokoučinkovito mehaničko sidro	233-237		326
A16	RAWLPLUG	R-SPL	Visokoučinkovito mehaničko sidro	238-242		326
A17	RAWLPLUG	R-DCA/ R-DCL	Sidro s unutarnjim navojem	243-254		327
A18	RAWLPLUG	R-SPL-C	Visokoučinkovito mehaničko sidro	255-259		328
A19	RAWLPLUG	R-RBL	Sidro mehaničko s vijkom	260-268		328
A20	RAWLPLUG	R-RBP	Sidro mehaničko s vijkom	269-278		329
A21	RAWLPLUG	R-GS	Stropno sidro	279-281		329
A22	RAWLPLUG	R-FIX-K	Tipla razuporna	282-284		330
A23	RAWLPLUG	R-FIX-KK	Tipla razuporna s vijencem	285-287		330
A24	RAWLPLUG	R-KS	Tipla razuporna univerzalna	288-289		331
A25		KPR, KNX	Produžena tipla			331
A26	RAWLPLUG	R-FIX/FIX K	Tipla razuporna s vijencem	290-292		332
A27	RAWLPLUG	R-KS	Tipla razuporna univerzalna s vijkom	293-294		332
A28	RAWLPLUG	R-FF1N10L /R-KDS	Univerzalna tipla za okvire	295-300		333

Nestandardna vijčana roba

A	Proizvođač	Oznaka	Naziv	TI		Strana
A29	RAWLPLUG	R-FIX	Univerzalna tipla za okvire	301-307		334
A30	RAWLPLUG	R-FX-L	Udarna tipla s upuštenom glavom	308-311		334
A31	RAWLPLUG	R-FX-C	Udarna tipla sa cilindričnom glavom	312-314		335
A32	RAWLPLUG	R-FX-K	Udarna tipla s gljivastom glavom	315-317		335
A33	RAWLPLUG	R-FIX-K	Tipla razuporna sa vijencem	318-320		336
A34	RAWLPLUG	R-FIX-S	Tipla razuporna sa vijencem	321-323		336
A35	RAWLPLUG	R-SPO 450	Preklopna tipla sa vijkom cilindrične glave	324-326		337
A36	RAWLPLUG	R-SPO 475	Preklopna tipla sa kukom, poluotvorenog oka	324-326		337
A37	RAWLPLUG	R-SPO 475Z	Preklopna tipla s zatvorenim okom	324-326		338
A38	RAWLPLUG	R-DRA01/ PLUS	Samobušeci pričvrtni element od nylona	327-328		338
A39	RAWLPLUG	R-DRA02/ PLUS R-DRA03/ PLUS	Samobušeci pričvrtni element od metala	329-330		339
A40	RAWLPLUG	R-G	Preklopna tipla za gipsane ploče	331-332		339
A41	RAWLPLUG	R-GL	Preklopna tipla za gipsane ploče sa vijkom	333-334		340
A42	RAWLPLUG	R-GK	Preklopna tipla za gipsane ploče sa vijkom	335-336		340













Nestandardna vijčana roba

A	Proizvođač	Oznaka	Naziv	TI		Strana
A43	RAWLPLUG	R-SM	Izolacijsko sidro	337-338		341
A44			Vijak za lim, imbus glave			341
A45			Samobušeci vijak, upuštena glava s krilima			342
A46			Čelična podloška i gumica za ZETA vijak			342
A47	RAWLPLUG		EPDM izolacijska podloška, ZN, AL, A2	339-340		343
A48			Turbo vijak			343
A49	RAWLPLUG	R-O	Metalno sidro za okvire	341-343		344
A50			Vijak za okivanje PVC stolarije			344
A51			Vijak za PVC stolariju, samobušeci			345
A52			Utisna matica			345
A53			Matica u kavezu			346
A54		STC	Zakivna matica, cilindrična glava			346
A55		STS	Zakivna matica, upuštena glava			347
A56		SFL	Zakivna matica, mala upuštena glava			347

Nestandardna vijčana roba









A	Proizvođač	Oznaka	Naziv	TI		Strana
A57			Osovinski osigurač			348
A58			Vijak za skelu, matica, podloška			348
A59	RAWLPLUG	R-KPM	Garnitura pričvrstnih elemenata	344-345		349
A60	RAWLPLUG	R-KPU	Garnitura pričvrstnih elemenata	346-347		349
A61	RAWLPLUG	R-KI-10/ R-TFIX-8P	Izolacijska tipla sa plastičnim svornjakom	348-353		350
A62	RAWLPLUG	R-KI-10M/ R-TFIX-8M	Izolacijska tipla sa metalnim svornjakom	354-359		351
A63	RAWLPLUG	R-KWL	Izolacijski disk	360		352
A64			Proširena podloška			352
A65	RAWLPLUG	R-OC/ R-OCT14/ R-OCT16	Samobušeci vijak	362-365		353-359
A66	RAWLPLUG	R-ON/ ONT19	Samobušeci vijak	366-368		359
A67	RAWLPLUG	R-OCW/ R-OCWT14	Samobušeci vijak	369-372		360
A68	RAWLPLUG	R-ONP	Samobušeci vijak	373-375		360
A69	RAWLPLUG	R-OD/ R-ODT14	Samobušeci vijak	376-378		361-362
A70	RAWLPLUG	R-ODSW/ R-ODWSS	Samobušeci INOX vijak	379-381		362

Nestandardna vijčana roba

A	Proizvođač	Oznaka	Naziv	TI		Strana
A71	RAWLPLUG	R-OC/ OCT 19	Samobušeci vijci za kompozitne ploče	382-384		363
A72	RAWLPLUG	R-ON/ R-ONT 19	Samobušeci vijci za kompozitne ploče	385-387		363
A73	RAWLPLUG	R-WF	Vijci za lim, plastiku i drvo	388-389		364
A74	RAWLPLUG	R-WFS	Vijci za lim, plastiku i drvo	390-391		364
A75		FS	Vijak za gips ploče, fini navoj	392-393		365
A76		FT	Vijak za gips ploče, grubi navoj	391-395		365
A77	RAWLPLUG	R-WS	Samobušeci vijak za gips ploče	396-397		366
A78	RAWLPLUG	R-WS	Vijak za gips ploče samobušeci	396-397		366
A79	RAWLPLUG	R-RHPTIIZF	Sidro čelično	398-415		367
A80	RAWLPLUG	R-RHPTIIA4	Sidro od INOX-a	416-433		367
A81	RAWLPLUG	R-KONF	Pričvrtni vijak za namještaj	434-435		368
A82			Limena matica			368

INOX vijčana roba

DIN	ISO	HRN	Naziv	TI		Strana
84	1207	M.B1.101	Vijak s cilindričnom glavom	42		370-372
94	1234	M.B2.300	Rascjepka	122		373-376
125	7089	M.B2.011	Podloška, oblik A	86		377
127		M.B2.110	Opružna podloška, oblik B	90		378
315		M.B1.680	Krilna matica, američki oblik	75		379
571		M.B1.500	Vijak za drvo, šesterokutna glava	56		380-382
603		M.B1.171	Torban vijak	37		383-385
912	4762	M.B1.120	Imbus vijak	18		385-392
917		M.B1.650	Slijepa matica	66		393
931	4014	M.B1.051	Šesterokutni vijak	21		394-400
933	4017	M.B1.053	Šesterokutni vijak	21		401-407
934	4032	M.B1.601	Šesterokutna matica	66		408
965	7046	M.B1.136	Vijak, upuštena glava	44		409-410
966	7047	M.B1.144	Vijak, upuštena lečasta glava	44		411-412

INOX vijčana roba						
DIN	ISO	HRN	Naziv	TI		Strana
976			Navojna šipka			412-414
985	10511		Sigurnosna matica	72		414-415
1587		M.B1.628	Slijepa matica	67		415-416
7981	7049	M.B1.466	Vijak za lim, cilindrična glava, križni prihvat	51		416-418
7982	7050	M.B1.465	Vijak za lim, upuštena glava, križni prihvat	52		418-420
9021	7093-1, 2	M.B2.014	Podloška za drvo	87		420-421
A2			Vijak za ivericu, upuštena glava, cijeli navoj/djelomični navoj			421-424
A10			Hangar vijak, metal/drvo	60		424



GARTNER RETAIL GROUP DOO

Nemanjina 20 34000 Kragujevac

034/6101443 064/8661097

info@gartner.rs www.gartner.rs